


Pillowcase Project

Return by December 1st (12/1)

Assembly:

- 1. Place cuff and and body fabric together along the long edge, right sides together, with the cuff underneath the body fabric.
 - a. If the **cuff** has a print, place the cuff so the bottom of the print is the edge that is matching up with the body.
 - b. If the **body** has a print, place the body so that the top of the print is the edge that is matching up with the cuff.



Roll the edge of the body fabric that is not along the cuff into a tight roll (like a paper towel)

3. Take the long edge of the cuff that is not matching with the body and fold it over the rolled body piece of fabric, so that all three exposed long edges are matched up on top of each other. Imagine it is a burrito, the body is the filling and the cuff is the tortilla.



- 4. Sew along the long edge with all three layers at 3/8"
- 5. Taking the roll of the body fabric, pull and turn the pillowcase to right side out. The cuff should be attached to the body fabric, and there should be no visible raw edge along that seam.
- 6. Cut off overhang from the cuff to create a straight line with the body fabric, if any.
- 7. Fold fabric lengthwise, **wrong sides together**, creating a 33" H x 22" W rectangle.

- 8. Sew along the 2 raw edges at $\frac{1}{4}$ "
- 9. Press seams flat, open, then flat again
- 10. Turn pillowcase wrong side out
- 11. Press seams flat that you just sewed
- 12. Sew at 3/8" along the seam that you sewed in step 8
- 13. Turn the pillowcase right side out, and there should be no raw edge showing
- 14. Press pillowcase